

原著				朝日生命成人病研究所
	論文名	報告者	発表誌名	リンク
1	Insulin degludec versus insulin glargine, both once daily as add-on to existing orally administered antidiabetic drugs in insulin-naïve Japanese patients with uncontrolled type 2 diabetes: subgroup analysis of a pan-Asian, treat-to-target phase 3 trial	T. Osonoi, Y. Onishi, T. Nishida, J. Hyllested-Winge, Y. Iwamoto	Diabetology International. published online:18 July 2015	doi: 10.1007/s13340-015-0221-3
2	Relationships between the risk of cardiovascular disease in type 2 diabetes patients and both visit-to-visit variability and time-to-effect differences in blood pressure	T. Takao, K. Kimura, M. Suka, H. Yanagisawa, M. Kikuchi, S. Kawazu, Y. Matsuyama	J Diabetes Complications. 29:699–706, 2015	doi: 10.1016/j.jdiacomp.2015.03.010.
3	The combined effect of visit-to-visit variability in HbA1c and systolic blood pressure on the incidence of cardiovascular events in patients with type 2 diabetes	T. Takao, Y. Matsuyama, M. Suka, H. Yanagisawa, Y. Iwamoto	BMJ Open Diab Res Care. 3:e000129, 2015	doi: 10.1136/bmjdrc-2015-000129
4	Subgroup analysis of phase 3 studies of dulaglutide in Japanese patients with type 2 diabetes.	Y. Onishi, T. Oura, H. Nishiyama, S. Ohyama, M. Takeuchi, N. Iwamoto	Endocr J. 2015 Dec 23. [Epub ahead of print]	doi: 10.1507/endocrj.EJ15-0518
5	Effects of lifestyle intervention on weight and metabolic parameters in patients with impaired glucose tolerance related to beta-3 adrenergic receptor gene polymorphism Trp64Arg(C/T): Results from the Japan Diabetes Prevention Program	(共同研究)N. Sakane, J. Sato, K. Tsushita, S. Tsujii, K. Kotani, M. Tominaga, S. Kawazu, Y. Sato, T. Usui, I. Kamae, T. Yoshida, Y. Kiyoohara, S. Sato, K. Tsuzaki, K. Takahashi, H. Kuzuya and the Japan Diabetes Prevention Program (JDPP) Research Group	J Diabetes Investig. Early View (Online Version of Record published before inclusion in an issue) Article first published online: 29 OCT 2015	doi: 10.1111/jdi.12426
6	LUBAC Formation Is Impaired in the Livers of Mice with MCD-Dependent Nonalcoholic Steatohepatitis	(共同研究)Y. Matsunaga, Y. Nakatsu, T. Fukushima, H. Okubo, M. Iwashita, H. Sakoda, M. Fujishiro, T. Yamamotoya, A. Kushiyama, S. Takahashi, Y. Tsuchiya, H. Kamata, F. Tokunaga, K. Iwai, T. Asano	Mediators Inflamm. 2015:125380, 2015	doi: 10.1155/2015/125380.
7	High-fat diet feeding significantly attenuates anagliptin-induced regeneration of islets of Langerhans in streptozotocin-induced diabetic mice.	(共同研究)T. Shinjo, Y. Nakatsu, M. Iwashita, T. Sano, H. Sakoda, H. Ishihara, A. Kushiyama, M. Fujishiro, F. Nishimura, T. Asano	Diabetol Metab Syndr. 7:50, 2015	doi: 10.1186/s13098-015-0047-y
8	Pin1 Inhibitor Juglone Exerts Anti-Oncogenic Effects on LNCaP and DU145 Cells despite the Patterns of Gene Regulation by Pin1 Differing between These Cell Lines.	(共同研究)R. Kanaoka, A. Kushiyama, Y. Seno, Y. Nakatsu, Y. Matsunaga, T. Fukushima, Y. Tsuchiya, H. Sakoda, M. Fujishiro, T. Yamamotoya, H. Kamata, A. Matsubara, T. Asano	PLoS One. 10:e0127467, 2015	doi: 10.1371/journal.pone.0127467.

原著				朝日生命成人病研究所
	論文名	報告者	発表誌名	リンク
9	Protection from diet-induced obesity and insulin resistance in mice lacking CCL19-CCR7 signaling.	(共同研究) T. Sano, M. Iwashita, S. Nagayasu, A. Yamashita, T. Shinjo, A. Hashikata, T. Asano, A. Kushiyama, N. Ishimaru, Y. Takahama, F. Nishimura	Obesity (Silver Spring). 23:1460–1471, 2015	doi:10.1002/oby.21127.
10	The xanthine oxidase inhibitor febuxostat suppresses development of nonalcoholic steatohepatitis in a rodent model.	(共同研究) Y. Nakatsu, Y. Seno, A. Kushiyama, H. Sakoda, M. Fujishiro, A. Katasako, K. Mori, Y. Matsunaga, T. Fukushima, R. Kanaoka, T. Yamamotoya, H. Kamata, T. Asano	Am J Physiol Gastrointest Liver Physiol. 309:G42–51, 2015	doi:10.1152/ajpgi.00443.2014
11	DPP-IV inhibitor anagliptin exerts anti-inflammatory effects on macrophages, adipocytes, and mouse livers by suppressing NF-κB activation.	(共同研究) T. Shinjo, Y. Nakatsu, M. Iwashita, T. Sano, H. Sakoda, H. Ishihara, A. Kushiyama, M. Fujishiro, T. Fukushima, Y. Tsuchiya, H. Kamata, F. Nishimura, T. Asano	Am J Physiol Endocrinol Metab. 309:E214–223, 2015	doi:10.1152/ajpendo.00553.2014
12	Prolyl isomerase Pin1 negatively regulates AMP-activated protein kinase (AMPK) by associating with the CBS domain in the γ subunit.	(共同研究) Y. Nakatsu, M. Iwashita, H. Sakoda, H. Ono, K. Nagata, Y. Matsunaga, T. Fukushima, M. Fujishiro, A. Kushiyama, H. Kamata, S. Takahashi, H. Katagiri, H. Honda, H. Kiyonari, T. Uchida, T. Asano	J Biol Chem. 290:24255–24266, 2015	doi:10.1074/jbc.M115.658559
13	Treatment with the SGLT2 inhibitor luseogliflozin improves nonalcoholic steatohepatitis in a rodent model with diabetes mellitus.	(共同研究) S. Qiang, Y. Nakatsu, Y. Seno, M. Fujishiro, H. Sakoda, A. Kushiyama, K. Mori, Y. Matsunaga, T. Yamamotoya, H. Kamata, T. Asano	Diabetol Metab Syndr. 7:104, 2015	doi: 10.1186/s13098-015-0102-8
14	A Case of Takayasu's Arteritis with Total Occlusion of the Abdominal Aorta Treated Only with Oral Medication for More Than 40 Years.	K. Aizawa, J. Fujii, Y. Seko	Ann Vasc Dis. 8:124–127, 2015	doi: 10.3400/avd.cr.15-00019
15	Secreted tyrosine sulfated-eIF5A mediates oxidative stress-induced apoptosis.	Y. Seko, T. Fujimura, T. Yao, H. Taka, R. Mineki, K. Okumura, K. Murayama	Sci Rep 5, 13737, 2015	doi: 10.1038/srep13737
16	Mutual reinforcement of inflammation and carcinogenesis by the Helicobacter pylori CagA oncoprotein.	N. Suzuki, N. Murata-Kamiya, K. Yanagiya, W. Suda, M. Hattori, H. Kanda, A. Bingo, Y. Fujii, S. Maeda, K. Koike, M. Hatakeyama	Sci Rep. 5:10024, 2015	doi: 10.1038/srep10024.

原著				朝日生命成人病研究所
	論文名	報告者	発表誌名	リンク
17	Gastric cancer diagnosed after Helicobacter pylori eradication in diabetes mellitus patients.	K. Sakitani, Y. Hirata, N. Suzuki, S. Shichijo, A. Yanai, T. Serizawa, K. Sakamoto, M. Akanuma, S. Maeda, Y. Yamaji, Y. Iwamoto, S. Kawazu, K. Koike	BMC Gastroenterol. 15:143, 2015	doi: 10.1186/s12876-015-0377-0
18	Inhibition of autophagy exerts anti-colon cancer effects via apoptosis induced by p53 activation and ER stress.	K. Sakitani, Y. Hirata, Y. Hikiba, Y. Hayakawa, S. Ihara, H. Suzuki, N. Suzuki, T. Serizawa, H. Kinoshita, K. Sakamoto, H. Nakagawa, K. Tateishi, S. Maeda, T. Ikenoue, S. Kawazu, K. Koike	BMC Cancer. 15:795, 2015	doi: 10.1186/s12885-015-1789-5.
19	Gastric Metaplasia Induced by Helicobacter pylori Is Associated with Enhanced SOX9 Expression via Interleukin-1 Signaling.	T. Serizawa, Y. Hirata, Y. Hayakawa, N. Suzuki, K. Sakitani, Y. Hikiba, S. Ihara, H. Kinoshita, H. Nakagawa, K. Tateishi, K. Koike	Infect Immun. 84:562–572, 2016 Accepted manuscript posted online 7 December 2015	doi: 10.1128/IAI.01437-15.
20	Characterization of a new small bowel adenocarcinoma cell line and screening of anti-cancer drug against small bowel adenocarcinoma.	(共同研究)H. Suzuki, Y. Hirata, N. Suzuki, S. Ihara, K. Sakitani, Y. Kobayashi, H. Kinoshita, Y. Hayakawa, A. Yamada, H. Watabe, K. Tateishi, T. Ikenoue, Y. Yamaji, K. Koike	Am J Pathol. 185:550–562, 2015	doi: 10.1016/j.ajpath.2014.10.006.
21	Neutrophil infiltration and the distribution of intestinal metaplasia is associated with metachronous gastric cancer following endoscopic submucosal dissection.	(共同研究)T. Sugimoto, Y. Yamaji, K. Sakitani, Y. Isomura, S. Yoshida, A. Yamada, Y. Hirata, K. Ogura, M. Okamoto, K. Koike	Can J Gastroenterol Hepatol. 29:321–325, 2015 Epub 2015 Jun 12.	http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4578456/
22	Distribution of intestinal metaplasia as a predictor of gastric cancer development.	(共同研究)S. Shichijo, Y. Hirata, K. Sakitani, S. Yamamoto, T. Serizawa, R. Niikura, H. Watabe, S. Yoshida, A. Yamada, Y. Yamaji, T. Ushiku, M. Fukayama, K. Koike	J Gastroenterol Hepatol. 30:1260–1264, 2015	doi: 10.1111/jgh.12946.
23	糖尿病性腎症に対する毎日の食事記録がたんぱく質・食塩制限に及ぼす効果	芦田美緒, 吉田洋子, 原茂子, 櫛山暁史, 田中健太郎, 小林孝子, 岩佐瑞枝, 越野彩, 藤原江美, 河津捷二	日本病態栄養学雑誌 18: 367–374, 2015	