

論文名	著者名	発表誌名	リンク
Association between HbA1c variability and mortality in patients with type 2 diabetes	T. Takao, Y. Matsuyama, H. Yanagisawa, M. Kikuchi, S. Kawazu	J Diabetes Complications. 28:494—499, 2014	doi:10.1016/j.jdiacomp.2014.02.006
Time-to-effect relationship between systolic blood pressure and the risks of nephropathy and retinopathy in patients with type 2 diabetes	T. Takao, Y. Matsuyama, M. Suka, H. Yanagisawa, M. Kikuchi, S. Kawazu	J Diabetes Complications. 28:674—678, 2014	doi:10.1016/j.jdiacomp.2014.05.008
Role of elevated serum uric acid levels at the onset of overt nephropathy in the risk for renal function decline in patients with type 2 diabetes	K. Tanaka, S. Hara, M. Hattori, K. Sakai, Y. Onishi, Y. Yoshida, S. Kawazu, A. Kushiyama	J Diabetes Investig. 6:98—104, 2015 Epub 2014 Jun 2.	doi:10.1111/jdi.12243
耐糖能患者の児における出生体重と耐糖能に関する検討	田原たづ, 吉田洋子, 榎山暁史, 大西由希子, 高尾淑子, 菊池貴子, 田中健太郎, 山本万友美, 河津捷二	糖尿病と妊娠 14:110—114, 2014	
Diabetes mellitus is important as a risk factor of atrial fibrillation	K. Aizawa, J. Fujii, Y. Seko	Integr Mol Med 1:73—75, 2014	doi:10.15761/IMM.1000113
Basal cardiomyopathy develops in rabbits with ventricular tachyarrhythmias induced by a single injection of adrenaline.	T. Ashida, T. takato, G. Matsuzaki, Y. Seko, J. Fujii, S. Kawai	Int Heart J 55:78—83, 2014	doi:10.1536/ihj.13-151
Loss of liver E-cadherin induces sclerosing cholangitis and promotes carcinogenesis	H. Nakagawa, Y. Hikiba, Y. Hirata, J. Font-Burgada, K. Sakamoto, Y. Hayakawa, K. Taniguchi, A. Umemura, H. Kinoshita, K. Sakitani, Y. Nishikawa, K. Hirano, T. Ikenoue, H. Ijichi, D. Dhar, W. Shibata, M. Akanuma, K. Koike, M. Karin, S. Maeda	Proc Natl Acad Sci U S A. 21:1090—1095, 2014 (H. Nakagawa and Y. Hikiba contributed equally to this work)	doi:10.1073/pnas.1322731111
Constructing the National Center Diabetes Database	(共同研究)R. Yamamoto-Honda, Y. Takahashi, S. Yamashita, Y. Mori, H. Yanai, S. Mishima, H. Kajio, N. Handa, K. Shimokawa, A. Yoshida, H. Kitazato, T. Shimbo, S. Kawazu, M. Noda	Diabetol Int 5:234—243, 2014	doi:10.1007/s13340-014-0162-2
Mosapride citrate improves nonalcoholic steatohepatitis with increased fecal lactic acid bacteria and plasma glucagon-like peptide-1 level in a rodent model.	(共同研究)H. Okubo, Y. Nakatsu, H. Sakoda, A. Kushiyama, M. Fujishiro, T. Fukushima, Y. Matsunaga, H. Ohno, M. Yoneda, H. Kamata, T. Shinjo, M. Iwashita, F. Nishimura, T. Asano	Am J Physiol Gastrointest Liver Physiol. 308:G151—158, 2015 Epub 2014 Nov 26.	doi:10.1152/ajpgi.00198.2014
Cohort profile: The Japan Diabetes Complications Study: a long-term follow-up of a randomised lifestyle intervention study of type 2 diabetes	(共同研究)S. Tanaka, S. Tanaka, S. Iimuro, H. Yamashita, S. Katayama, Y. Ohashi, Y. Akanuma, N. Yamada, H. Sone; Japan Diabetes Complications Study Group	Int. J. Epidemiol. 43:1054—1062, 2014	doi:10.1093/ije/dyt057

論文名	著者名	発表誌名	リンク
Characterization of a New Small Bowel Adenocarcinoma Cell Line and Screening of Anti-Cancer Drug against Small Bowel Adenocarcinoma	(共同研究)H. Suzuki, Y. Hirata, N. Suzuki, S. Ihara, K. Sakitani, Y. Kobayashi, H. Kinoshita, Y. Hayakawa, A. Yamada, H. Watabe, K. Tateishi, T. Ikenoue, Y. Yamaji, K. Koike	Am J Pathol. 185:550-562, 2015 Epub 2014 Dec 2	doi:10.1016/j.ajpath.2014.10.006